


New Jersey Bog Turtles and Invasive Plants




Brian Zarate
NJ Div. of Fish & Wildlife, Endangered & Nongame Species





State Range



- Found in 10 Counties
 (Historically 18 Counties no records from Cumberland, Essex, Hudson)
 - Burlington
 - Gloucester
 - Hunterdon
 - Mercer (1 recent record 2007)
 - Monmouth (nothing recent)
 - Morris
 - Ocean (nothing recent)
 - Salem
 - Sussex
 - Warren

Bog Turtle Threats in NJ

- Habitat change
 - Succession
 - Invasives/Exotics
- Habitat fragmentation
 - Road mortality
 - Genetic isolation?
- Illegal collection
 - Law Enforcement





Conservation is a Team Sport

- Partners
 - USFWS NJFO
 - USFWS Refuges
 - NRCS
 - Conserve Wildlife Foundation
 - NJ Audubon
 - Universities
 - Consultants/Private Industry
 - Volunteers
 - Private Landowners
 - Over 70% of sites are privately owned



Red Maple



Shrubs



Phragmites



Reed Canary Grass



Traditional livestock







Goats - 'Living Brush-Hogs'

- •Clearing brush, large trees, multiflora rose, *Phragmites*, reed canary grass, cattail, purple loosestrife
 - •When preferred browse reduced, will seek new pasture

•Short-term use


Cattle

- •Clearing brush, *Phragmites*, reed canary grass, cattail, purple loosestrife
 - •Excellent at litter compaction
- •Require large >2 acre enclosure with uplands
 - •Long-term habitat maintenance
- •Best choice augment microhabitats & hydrology

Sheep

- •Primarily grasses
- •Use in conjunction with goats
- •Excellent for re-sprouted *Phragmites & Microstegium*

Restoration Grazing



- •Labor-intensive
- Potentially harmful
- •Ineffective for some plants
- Affect non-target plants

VS.

Prescribed Grazing

- •Historically occurred at most sites
- •Effective for all types of invasives
- •Improves microhabitats for turtles







Water Buffalo



On the Horizon...???

- European Alder
- Glossy Buckthorn
- Mile-a-minute
- Kudzu
- Siebold's Viburnum

